

Report No. 48.400.21.0767.01-00/03
Dated 2021-07-07

Technical Report

Client: Jiangsu Acrel Electrical Manufacturing. Co., Ltd.
No. 5, Dongmeng Road, Nanzha Street, Jiangyin, Jiangsu, P. R. China

Contact person: Han zhonghua

Test object: The submitted samples were received and described by client as:
Product: Meter
Model: ADL400



Additional model: ADL200, DDSD, DTSD, DDS, DDSY, DTSY, DDSF, DTSF, ADL10, ADL100, ADL3000, ADM, ADF

Tested sample description: Refer to next page(s).

Test specification: 2011/65/EU (RoHS) Directive and 2015/863/EU (RoHS amendment) Directive
Test with reference to EN 62321-1:2013, EN 62321-2:2014, EN 62321-3-1:2014, EN 62321-4:2014/A1:2017, EN 62321-5:2014, EN 62321-6:2015, EN 62321-7-1:2015, EN 62321-7-2:2017 and EN 62321-8:2017.

Test result: Refer to the data listed in following pages

Conclusion: With regard to the data of tested components, the requirements of Directive 2011/65/EU (RoHS) and 2015/863/EU are **complied**.

Remarks:

1. The tested samples were identified and appointed by client.
2. The result relates only to the items tested.
3. The tested materials covered by the report were declared by the manufacturer to be used on the additional model.

Any use for advertising purposes must be granted in writing. This technical report may only be quoted in full. This report is the result of a single examination of the object in question and is not generally applicable evaluation of the quality of other products in regular production. For further details, please see testing and certification regulation, chapter A-3.4.

Disclaimer Measurement Uncertainty:

Unless otherwise agreed upon, Pass or Fail verdicts are given base on the measured values without any considerations of measurement uncertainties. Please note, every test method has a measurement uncertainty which has been evaluated by the laboratory according to ISO/IEC 17025 requirements. By taking measurement uncertainties into account it might happen that measured values can neither be assessed as Pass nor as Fail.

TÜV SÜD Certification and Testing (China) Co., Ltd.
10 Huaxia Road(M), Dongting, Wuxi
Jiangsu, 214100, P. R. China

Shanghai Chemical Lab
No.1999 Duhui Road
Shanghai City

Tel.: +86-510-88203737
Fax: +86-510-88203636
www.tuv-sud.cn
info@tuv-sud.cn

Tel.: +86-21-60376368



China

Report No. 48.400.21.0767.01-00/03
Dated 2021-07-07

1. Order

- 1.1 **Date of Purchase Order,**
2021-06-07
- 1.2 **Customer's Reference**
Nil
- 1.3 **Receipt Date of Test Sample**
2021-05-16
- 1.4 **Date of Testing**
2021-06-07 – 2021-06-15
- 1.5 **Location of Testing**
TÜV SÜD Certification and Testing (China) Co., Ltd.

Any use for advertising purposes must be granted in writing. This technical report may only be quoted in full. This report is the result of a single examination of the object in question and is not generally applicable evaluation of the quality of other products in regular production. For further details, please see testing and certification regulation, chapter A-3.4.

Disclaimer Measurement Uncertainty:

Unless otherwise agreed upon, Pass or Fail verdicts are given base on the measured values without any considerations of measurement uncertainties. Please note, every test method has a measurement uncertainty which has been evaluated by the laboratory according to ISO/IEC 17025 requirements. By taking measurement uncertainties into account it might happen that measured values can neither be assessed as Pass nor as Fail.

TÜV SÜD Certification and Testing (China) Co., Ltd.
10 Huaxia Road(M), Dongting, Wuxi
Jiangsu, 214100, P. R. China

Tel.: +86-510-88203737
Fax: +86-510-88203636
www.tuv-sud.cn
info@tuv-sud.cn

Shanghai Chemical Lab
No.1999 Duhui Road
Shanghai City

Tel.: +86-21-60376368






Report No. 48.400.21.0767.01-00/03

Dated 2021-07-07



China

2. Description of the tested specimen

Sample No.	Result	Description (Material, colour)	Photograph/Location
01	Pass	Transparent soft plastic inflatable bag, CQD QT-13L237(96)(CQD-280*215-Q-01)	
02	Pass	Brown paper packing box, B/ZH-170x150x125-J01(A)	
03	Pass	Green hard PCB, KB	
04	Pass	black resistance, CR_0603_0R_J	
05	Pass	black resistance, CR_0603_10k_F_100ppm	

Any use for advertising purposes must be granted in writing. This technical report may only be quoted in full. This report is the result of a single examination of the object in question and is not generally applicable evaluation of the quality of other products in regular production. For further details, please see testing and certification regulation, chapter A-3.4.

Disclaimer Measurement Uncertainty:

Unless otherwise agreed upon, Pass or Fail verdicts are given base on the measured values without any considerations of measurement uncertainties. Please note, every test method has a measurement uncertainty which has been evaluated by the laboratory according to ISO/IEC 17025 requirements. By taking measurement uncertainties into account it might happen that measured values can neither be assessed as Pass nor as Fail.

TÜV SÜD Certification and Testing (China) Co., Ltd.
10 Huaxia Road(M), Dongting, Wuxi
Jiangsu, 214100, P. R. China

Shanghai Chemical Lab
No.1999 Duhui Road
Shanghai City

Tel.: +86-510-88203737
Fax: +86-510-88203636
www.tuv-sud.cn
info@tuv-sud.cn

Tel.: +86-21-60376368

Report No. 48.400.21.0767.01-00/03

Dated 2021-07-07



China

Sample No.	Result	Description (Material, colour)	Photograph/Location
06	Pass	Brown capacitor, CC_0603_0.1uF_50V	
07	Pass	Brown capacitor, CC_0805_10uF_16V	
08	Pass	black resistance, RZ_10P8_10k_J	
09	Pass	Golden diode, LL4148-SMD	
10	Pass	Black triode, 9013	

Any use for advertising purposes must be granted in writing. This technical report may only be quoted in full. This report is the result of a single examination of the object in question and is not generally applicable evaluation of the quality of other products in regular production. For further details, please see testing and certification regulation, chapter A-3.4.

Disclaimer Measurement Uncertainty:






Unless otherwise agreed upon, Pass or Fail verdicts are given base on the measured values without any considerations of measurement uncertainties. Please note, every test method has a measurement uncertainty which has been evaluated by the laboratory according to ISO/IEC 17025 requirements. By taking measurement uncertainties into account it might happen that measured values can neither be assessed as Pass nor as Fail.

TÜV SÜD Certification and Testing (China) Co., Ltd.
10 Huaxia Road(M), Dongting, Wuxi
Jiangsu, 214100, P. R. China

Shanghai Chemical Lab
No.1999 Duhui Road
Shanghai City

Tel.: +86-510-88203737
Fax: +86-510-88203636
www.tuv-sud.cn
info@tuv-sud.cn






Tel.: +86-21-60376368

Sample No.	Result	Description (Material, colour)	Photograph/Location
11	Pass	Black hard IC, TLV70033DDCR	
12	Pass	Black hard IC, HT1621B/HOLTEK	
13	Pass	Silver metal pin	
14	Pass	Black hard IC, MB85RC16	
15	Pass	Silver metal pin	

Any use for advertising purposes must be granted in writing. This technical report may only be quoted in full. This report is the result of a single examination of the object in question and is not generally applicable evaluation of the quality of other products in regular production. For further details, please see testing and certification regulation, chapter A-3.4.

Disclaimer Measurement Uncertainty:

Unless otherwise agreed upon, Pass or Fail verdicts are given base on the measured values without any considerations of measurement uncertainties. Please note, every test method has a measurement uncertainty which has been evaluated by the laboratory according to ISO/IEC 17025 requirements. By taking measurement uncertainties into account it might happen that measured values can neither be assessed as Pass nor as Fail.

Sample No.	Result	Description (Material, colour)	Photograph/Location
16	Pass	Black hard IC, STM32F401RCT6	
17	Pass	Silver metal pin	
18	Pass	Black hard IC, XN_3225_12MHz_20pF_20ppm	
19	Pass	Black hard plastic pai Mu, 22N8572-10M00B-01G-6.7-C	
20	Pass	Silver metal pin	

Any use for advertising purposes must be granted in writing. This technical report may only be quoted in full. This report is the result of a single examination of the object in question and is not generally applicable evaluation of the quality of other products in regular production. For further details, please see testing and certification regulation, chapter A-3.4.

Disclaimer Measurement Uncertainty:

Unless otherwise agreed upon, Pass or Fail verdicts are given base on the measured values without any considerations of measurement uncertainties. Please note, every test method has a measurement uncertainty which has been evaluated by the laboratory according to ISO/IEC 17025 requirements. By taking measurement uncertainties into account it might happen that measured values can neither be assessed as Pass nor as Fail.

TÜV SÜD Certification and Testing (China) Co., Ltd.
 10 Huaxia Road(M), Dongting, Wuxi
 Jiangsu, 214100, P. R. China

Shanghai Chemical Lab
 No.1999 Duhui Road
 Shanghai City

Tel.: +86-510-88203737
 Fax: +86-510-88203636
www.tuv-sud.cn
info@tuv-sud.cn

Tel.: +86-21-60376368

Report No. 48.400.21.0767.01-00/03

Dated 2021-07-07



China

Sample No.	Result	Description (Material, colour)	Photograph/Location
21	Pass	Gray capacitor, CC_0603_2.2uF_25V	
22	Pass	Black metal magnetic beads FB_0603_100mA_1k	
23	Pass	Black diode, BAV199LT1G	
24	Pass	Black hard IC, RN7302	
25	Pass	Silver metal pin	

Any use for advertising purposes must be granted in writing. This technical report may only be quoted in full. This report is the result of a single examination of the object in question and is not generally applicable evaluation of the quality of other products in regular production. For further details, please see testing and certification regulation, chapter A-3.4.

Disclaimer Measurement Uncertainty:






Unless otherwise agreed upon, Pass or Fail verdicts are given base on the measured values without any considerations of measurement uncertainties. Please note, every test method has a measurement uncertainty which has been evaluated by the laboratory according to ISO/IEC 17025 requirements. By taking measurement uncertainties into account it might happen that measured values can neither be assessed as Pass nor as Fail.

TÜV SÜD Certification and Testing (China) Co., Ltd.
10 Huaxia Road(M), Dongting, Wuxi
Jiangsu, 214100, P. R. China

Shanghai Chemical Lab
No.1999 Duhui Road
Shanghai City

Tel.: +86-510-88203737
Fax: +86-510-88203636
www.tuv-sud.cn
info@tuv-sud.cn






Tel.: +86-21-60376368

Sample No.	Result	Description (Material, colour)	Photograph/Location
26	Pass	Silvery metal crystal oscillator, XN_SMD49_8.192MHz_20pF_20ppm	
27	Pass	Silver metal pin	
28	Pass	Black hard plastic cover	
29	Pass	Black triode, 8050-SMD	
30	Pass	Black diode, RS1D	

Any use for advertising purposes must be granted in writing. This technical report may only be quoted in full. This report is the result of a single examination of the object in question and is not generally applicable evaluation of the quality of other products in regular production. For further details, please see testing and certification regulation, chapter A-3.4.

Disclaimer Measurement Uncertainty:

Unless otherwise agreed upon, Pass or Fail verdicts are given base on the measured values without any considerations of measurement uncertainties. Please note, every test method has a measurement uncertainty which has been evaluated by the laboratory according to ISO/IEC 17025 requirements. By taking measurement uncertainties into account it might happen that measured values can neither be assessed as Pass nor as Fail.

Sample No.	Result	Description (Material, colour)	Photograph/Location
31	Pass	Silver metal pin	
32	Pass	Black diode, SS310-SMD	
33	Pass	Black diode, SMAJ5.0A	
34	Pass	Silver metal pin	
35	Pass	Black hard IC, AMS431AM(BM)-SMD	

Any use for advertising purposes must be granted in writing. This technical report may only be quoted in full. This report is the result of a single examination of the object in question and is not generally applicable evaluation of the quality of other products in regular production. For further details, please see testing and certification regulation, chapter A-3.4.

Disclaimer Measurement Uncertainty:

Unless otherwise agreed upon, Pass or Fail verdicts are given base on the measured values without any considerations of measurement uncertainties. Please note, every test method has a measurement uncertainty which has been evaluated by the laboratory according to ISO/IEC 17025 requirements. By taking measurement uncertainties into account it might happen that measured values can neither be assessed as Pass nor as Fail.

TÜV SÜD Certification and Testing (China) Co., Ltd.
 10 Huaxia Road(M), Dongting, Wuxi
 Jiangsu, 214100, P. R. China

Shanghai Chemical Lab
 No.1999 Duhui Road
 Shanghai City

Tel.: +86-510-88203737
 Fax: +86-510-88203636
www.tuv-sud.cn
info@tuv-sud.cn

Tel.: +86-21-60376368

Report No. 48.400.21.0767.01-00/03

Dated 2021-07-07



China

Sample No.	Result	Description (Material, colour)	Photograph/Location
36	Pass	Black hard IC, 78L05-SMD(KIA78L05)LM78L05F)	
37	Pass	Silver metal pin	
38	Pass	Black hard IC, ISL3152EIBZ-T	
39	Pass	Silver metal pin	
40	Pass	Black optocoupler, LTV-356T-B	

Any use for advertising purposes must be granted in writing. This technical report may only be quoted in full. This report is the result of a single examination of the object in question and is not generally applicable evaluation of the quality of other products in regular production. For further details, please see testing and certification regulation, chapter A-3.4.

Disclaimer Measurement Uncertainty:






Unless otherwise agreed upon, Pass or Fail verdicts are given base on the measured values without any considerations of measurement uncertainties. Please note, every test method has a measurement uncertainty which has been evaluated by the laboratory according to ISO/IEC 17025 requirements. By taking measurement uncertainties into account it might happen that measured values can neither be assessed as Pass nor as Fail.

TÜV SÜD Certification and Testing (China) Co., Ltd.
10 Huaxia Road(M), Dongting, Wuxi
Jiangsu, 214100, P. R. China

Shanghai Chemical Lab
No.1999 Duhui Road
Shanghai City

Tel.: +86-510-88203737
Fax: +86-510-88203636
www.tuv-sud.cn
info@tuv-sud.cn

Tel.: +86-21-60376368

Sample No.	Result	Description (Material, colour)	Photograph/Location
41	Pass	Silver metal pin	
42	Pass	silvery aluminium alloy shell, CD_6.3X7.7_100uF_35V	
43	Pass	Silver metal pin	
44	Pass	Gray soft plastic film	
45	Pass	Black rubber cushion	

Any use for advertising purposes must be granted in writing. This technical report may only be quoted in full. This report is the result of a single examination of the object in question and is not generally applicable evaluation of the quality of other products in regular production. For further details, please see testing and certification regulation, chapter A-3.4.

Disclaimer Measurement Uncertainty:






Unless otherwise agreed upon, Pass or Fail verdicts are given base on the measured values without any considerations of measurement uncertainties. Please note, every test method has a measurement uncertainty which has been evaluated by the laboratory according to ISO/IEC 17025 requirements. By taking measurement uncertainties into account it might happen that measured values can neither be assessed as Pass nor as Fail.

TÜV SÜD Certification and Testing (China) Co., Ltd.
 10 Huaxia Road(M), Dongting, Wuxi
 Jiangsu, 214100, P. R. China

Shanghai Chemical Lab
 No.1999 Duhui Road
 Shanghai City

Tel.: +86-510-88203737
 Fax: +86-510-88203636
www.tuv-sud.cn
info@tuv-sud.cn

Tel.: +86-21-60376368

Sample No.	Result	Description (Material, colour)	Photograph/Location
46	Pass	silvery aluminium alloy shell, CD_6.3X7.7_220uF_16V	
47	Pass	Black rubber cushion	
48	Pass	Gray soft plastic film	
49	Pass	Silver metal pin	
50	Pass	Black bridge chip, DB107S	

Any use for advertising purposes must be granted in writing. This technical report may only be quoted in full. This report is the result of a single examination of the object in question and is not generally applicable evaluation of the quality of other products in regular production. For further details, please see testing and certification regulation, chapter A-3.4.

Disclaimer Measurement Uncertainty:






Unless otherwise agreed upon, Pass or Fail verdicts are given base on the measured values without any considerations of measurement uncertainties. Please note, every test method has a measurement uncertainty which has been evaluated by the laboratory according to ISO/IEC 17025 requirements. By taking measurement uncertainties into account it might happen that measured values can neither be assessed as Pass nor as Fail.

TÜV SÜD Certification and Testing (China) Co., Ltd.
10 Huaxia Road(M), Dongting, Wuxi
Jiangsu, 214100, P. R. China

Shanghai Chemical Lab
No.1999 Duhui Road
Shanghai City

Tel.: +86-510-88203737
Fax: +86-510-88203636
www.tuv-sud.cn
info@tuv-sud.cn

Tel.: +86-21-60376368

Sample No.	Result	Description (Material, colour)	Photograph/Location
51	Pass	Silver metal pin	
52	Pass	Black inductance, PCD0503MT3R3(5.8*5.2*3 3.3μH 2.8A)(±20%)	
53	Pass	Black hard power chip, TNY286PG	
54	Pass	Silver metal pin	
55	Pass	Green metal wave filter, 47μH/40mΩ	

Any use for advertising purposes must be granted in writing. This technical report may only be quoted in full. This report is the result of a single examination of the object in question and is not generally applicable evaluation of the quality of other products in regular production. For further details, please see testing and certification regulation, chapter A-3.4.

Disclaimer Measurement Uncertainty:






Unless otherwise agreed upon, Pass or Fail verdicts are given base on the measured values without any considerations of measurement uncertainties. Please note, every test method has a measurement uncertainty which has been evaluated by the laboratory according to ISO/IEC 17025 requirements. By taking measurement uncertainties into account it might happen that measured values can neither be assessed as Pass nor as Fail.

TÜV SÜD Certification and Testing (China) Co., Ltd.
 10 Huaxia Road(M), Dongting, Wuxi
 Jiangsu, 214100, P. R. China

Shanghai Chemical Lab
 No.1999 Duhui Road
 Shanghai City

Tel.: +86-510-88203737
 Fax: +86-510-88203636
www.tuv-sud.cn
info@tuv-sud.cn

Tel.: +86-21-60376368

Sample No.	Result	Description (Material, colour)	Photograph/Location
56	Pass	Golden metal wire	
57	Pass	Translucent hard plastic plate	
58	Pass	Black hard plastic base	
59	Pass	Silver metal pin	
60	Pass	green resistance, RM-12D-55mA	

Any use for advertising purposes must be granted in writing. This technical report may only be quoted in full. This report is the result of a single examination of the object in question and is not generally applicable evaluation of the quality of other products in regular production. For further details, please see testing and certification regulation, chapter A-3.4.

Disclaimer Measurement Uncertainty:






Unless otherwise agreed upon, Pass or Fail verdicts are given base on the measured values without any considerations of measurement uncertainties. Please note, every test method has a measurement uncertainty which has been evaluated by the laboratory according to ISO/IEC 17025 requirements. By taking measurement uncertainties into account it might happen that measured values can neither be assessed as Pass nor as Fail.

TÜV SÜD Certification and Testing (China) Co., Ltd.
 10 Huaxia Road(M), Dongting, Wuxi
 Jiangsu, 214100, P. R. China

Shanghai Chemical Lab
 No.1999 Duhui Road
 Shanghai City

Tel.: +86-510-88203737
 Fax: +86-510-88203636
www.tuv-sud.cn
info@tuv-sud.cn

Tel.: +86-21-60376368

Sample No.	Result	Description (Material, colour)	Photograph/Location
61	Pass	Silver metal pin	
62	Pass	Black metal magnet, EE16-51515-2	
63	Pass	Yellow soft plastic adhesive tape	
64	Pass	Black hard plastic base	
65	Pass	Silver metal pin	

Any use for advertising purposes must be granted in writing. This technical report may only be quoted in full. This report is the result of a single examination of the object in question and is not generally applicable evaluation of the quality of other products in regular production. For further details, please see testing and certification regulation, chapter A-3.4.

Disclaimer Measurement Uncertainty:






Unless otherwise agreed upon, Pass or Fail verdicts are given base on the measured values without any considerations of measurement uncertainties. Please note, every test method has a measurement uncertainty which has been evaluated by the laboratory according to ISO/IEC 17025 requirements. By taking measurement uncertainties into account it might happen that measured values can neither be assessed as Pass nor as Fail.

TÜV SÜD Certification and Testing (China) Co., Ltd.
 10 Huaxia Road(M), Dongting, Wuxi
 Jiangsu, 214100, P. R. China

Shanghai Chemical Lab
 No.1999 Duhui Road
 Shanghai City

Tel.: +86-510-88203737
 Fax: +86-510-88203636
www.tuv-sud.cn
info@tuv-sud.cn

Tel.: +86-21-60376368

Sample No.	Result	Description (Material, colour)	Photograph/Location
66	Pass	Golden metal wire	
67	Pass	Yellow soft plastic label,	
68	Pass	Silvery soft plastic label,	
69	Pass	Silvery metal screw, M3*12	
70	Pass	Silvery metal gasket	

Any use for advertising purposes must be granted in writing. This technical report may only be quoted in full. This report is the result of a single examination of the object in question and is not generally applicable evaluation of the quality of other products in regular production. For further details, please see testing and certification regulation, chapter A-3.4.

Disclaimer Measurement Uncertainty:






Unless otherwise agreed upon, Pass or Fail verdicts are given base on the measured values without any considerations of measurement uncertainties. Please note, every test method has a measurement uncertainty which has been evaluated by the laboratory according to ISO/IEC 17025 requirements. By taking measurement uncertainties into account it might happen that measured values can neither be assessed as Pass nor as Fail.

TÜV SÜD Certification and Testing (China) Co., Ltd.
 10 Huaxia Road(M), Dongting, Wuxi
 Jiangsu, 214100, P. R. China

Shanghai Chemical Lab
 No.1999 Duhui Road
 Shanghai City

Tel.: +86-510-88203737
 Fax: +86-510-88203636
www.tuv-sud.cn
info@tuv-sud.cn

Tel.: +86-21-60376368

Sample No.	Result	Description (Material, colour)	Photograph/Location
71	Pass	Silvery metal gasket	
72	Pass	Black hard plastic current transformer shell, CT-10A-5mA-A(HCT614H)	
73	Pass	Black hard plastic potting compound	
74	Pass	Red soft plastic wire jacket	
75	Pass	Black soft plastic wire jacket	

Any use for advertising purposes must be granted in writing. This technical report may only be quoted in full. This report is the result of a single examination of the object in question and is not generally applicable evaluation of the quality of other products in regular production. For further details, please see testing and certification regulation, chapter A-3.4.

Disclaimer Measurement Uncertainty:






Unless otherwise agreed upon, Pass or Fail verdicts are given base on the measured values without any considerations of measurement uncertainties. Please note, every test method has a measurement uncertainty which has been evaluated by the laboratory according to ISO/IEC 17025 requirements. By taking measurement uncertainties into account it might happen that measured values can neither be assessed as Pass nor as Fail.

TÜV SÜD Certification and Testing (China) Co., Ltd.
10 Huaxia Road(M), Dongting, Wuxi
Jiangsu, 214100, P. R. China

Shanghai Chemical Lab
No.1999 Duhui Road
Shanghai City

Tel.: +86-510-88203737
Fax: +86-510-88203636
www.tuv-sud.cn
info@tuv-sud.cn

Tel.: +86-21-60376368

Sample No.	Result	Description (Material, colour)	Photograph/Location
76	Pass	Silvery metal wire	
77	Pass	White hard plastic plug	
78	Pass	Silver metal pin	
79	Pass	Blue soft plastic adhesive tape	
80	Pass	White hard plastic frame	

Any use for advertising purposes must be granted in writing. This technical report may only be quoted in full. This report is the result of a single examination of the object in question and is not generally applicable evaluation of the quality of other products in regular production. For further details, please see testing and certification regulation, chapter A-3.4.

Disclaimer Measurement Uncertainty:






Unless otherwise agreed upon, Pass or Fail verdicts are given base on the measured values without any considerations of measurement uncertainties. Please note, every test method has a measurement uncertainty which has been evaluated by the laboratory according to ISO/IEC 17025 requirements. By taking measurement uncertainties into account it might happen that measured values can neither be assessed as Pass nor as Fail.

TÜV SÜD Certification and Testing (China) Co., Ltd.
 10 Huaxia Road(M), Dongting, Wuxi
 Jiangsu, 214100, P. R. China

Shanghai Chemical Lab
 No.1999 Duhui Road
 Shanghai City

Tel.: +86-510-88203737
 Fax: +86-510-88203636
www.tuv-sud.cn
info@tuv-sud.cn

Tel.: +86-21-60376368

Sample No.	Result	Description (Material, colour)	Photograph/Location
81	Pass	Silvery metal iron core	
82	Pass	Golden metal wire	
83	Pass	Red hard plastic button, 6*6*9.5	
84	Pass	Silvery metal bracket	
85	Pass	Silver metal pin	

Any use for advertising purposes must be granted in writing. This technical report may only be quoted in full. This report is the result of a single examination of the object in question and is not generally applicable evaluation of the quality of other products in regular production. For further details, please see testing and certification regulation, chapter A-3.4.

Disclaimer Measurement Uncertainty:






Unless otherwise agreed upon, Pass or Fail verdicts are given base on the measured values without any considerations of measurement uncertainties. Please note, every test method has a measurement uncertainty which has been evaluated by the laboratory according to ISO/IEC 17025 requirements. By taking measurement uncertainties into account it might happen that measured values can neither be assessed as Pass nor as Fail.

TÜV SÜD Certification and Testing (China) Co., Ltd.
10 Huaxia Road(M), Dongting, Wuxi
Jiangsu, 214100, P. R. China

Shanghai Chemical Lab
No.1999 Duhui Road
Shanghai City

Tel.: +86-510-88203737
Fax: +86-510-88203636
www.tuv-sud.cn
info@tuv-sud.cn

Tel.: +86-21-60376368

Sample No.	Result	Description (Material, colour)	Photograph/Location
86	Pass	Silvery metal base	
87	Pass	Silvery metal cushion	
88	Pass	Black hard plastic base	
89	Pass	Black hard infrared receiver, IRM-T38D-FMeter	
90	Pass	Silver metal pin	

Any use for advertising purposes must be granted in writing. This technical report may only be quoted in full. This report is the result of a single examination of the object in question and is not generally applicable evaluation of the quality of other products in regular production. For further details, please see testing and certification regulation, chapter A-3.4.

Disclaimer Measurement Uncertainty:






Unless otherwise agreed upon, Pass or Fail verdicts are given base on the measured values without any considerations of measurement uncertainties. Please note, every test method has a measurement uncertainty which has been evaluated by the laboratory according to ISO/IEC 17025 requirements. By taking measurement uncertainties into account it might happen that measured values can neither be assessed as Pass nor as Fail.

TÜV SÜD Certification and Testing (China) Co., Ltd.
10 Huaxia Road(M), Dongting, Wuxi
Jiangsu, 214100, P. R. China

Shanghai Chemical Lab
No.1999 Duhui Road
Shanghai City

Tel.: +86-510-88203737
Fax: +86-510-88203636
www.tuv-sud.cn
info@tuv-sud.cn

Tel.: +86-21-60376368

Sample No.	Result	Description (Material, colour)	Photograph/Location
91	Pass	Transparent hard infrared transmitting tube, IR-T3AWMC06Meter	
92	Pass	Silver metal pin	
93	Pass	Transparent glass liquid crystal display, 3.3V-WB-55X35-C-SDH-M13200-HP-5Meter	
94	Pass	Transparent soft plastic film	
95	Pass	Blue soft plastic film	

Any use for advertising purposes must be granted in writing. This technical report may only be quoted in full. This report is the result of a single examination of the object in question and is not generally applicable evaluation of the quality of other products in regular production. For further details, please see testing and certification regulation, chapter A-3.4.

Disclaimer Measurement Uncertainty:






Unless otherwise agreed upon, Pass or Fail verdicts are given base on the measured values without any considerations of measurement uncertainties. Please note, every test method has a measurement uncertainty which has been evaluated by the laboratory according to ISO/IEC 17025 requirements. By taking measurement uncertainties into account it might happen that measured values can neither be assessed as Pass nor as Fail.

TÜV SÜD Certification and Testing (China) Co., Ltd.
10 Huaxia Road(M), Dongting, Wuxi
Jiangsu, 214100, P. R. China

Shanghai Chemical Lab
No.1999 Duhui Road
Shanghai City

Tel.: +86-510-88203737
Fax: +86-510-88203636
www.tuv-sud.cn
info@tuv-sud.cn

Tel.: +86-21-60376368

Sample No.	Result	Description (Material, colour)	Photograph/Location
96	Pass	Gray soft plastic film	
97	Pass	Black hard plastic pai Mu, 22N8572-16M00B-01G-6.7-CMeter	
98	Pass	Silver metal pin	
99	Pass	Black hard plastic pai Mu, 22P8562-16S10B-01G-3.2Meter	
100	Pass	Silver metal pin	

Any use for advertising purposes must be granted in writing. This technical report may only be quoted in full. This report is the result of a single examination of the object in question and is not generally applicable evaluation of the quality of other products in regular production. For further details, please see testing and certification regulation, chapter A-3.4.

Disclaimer Measurement Uncertainty:

Unless otherwise agreed upon, Pass or Fail verdicts are given base on the measured values without any considerations of measurement uncertainties. Please note, every test method has a measurement uncertainty which has been evaluated by the laboratory according to ISO/IEC 17025 requirements. By taking measurement uncertainties into account it might happen that measured values can neither be assessed as Pass nor as Fail.

TÜV SÜD Certification and Testing (China) Co., Ltd.
 10 Huaxia Road(M), Dongting, Wuxi
 Jiangsu, 214100, P. R. China

Shanghai Chemical Lab
 No.1999 Duhui Road
 Shanghai City

Tel.: +86-510-88203737
 Fax: +86-510-88203636
www.tuv-sud.cn
info@tuv-sud.cn

Tel.: +86-21-60376368

Report No. 48.400.21.0767.01-00/03

Dated 2021-07-07



China

Sample No.	Result	Description (Material, colour)	Photograph/Location
101	Pass	White hard plastic bracket, QHA2252P08ANA12Meter	
102	Pass	Silver metal pin	
103	Pass	White hard plastic buckle, DTSF1352-SJ01Meter	
104	Pass	Transparent hard plastic cover, DTSF1352	
105	Pass	Gray hard plastic shell, KT-7P-S05	

Any use for advertising purposes must be granted in writing. This technical report may only be quoted in full. This report is the result of a single examination of the object in question and is not generally applicable evaluation of the quality of other products in regular production. For further details, please see testing and certification regulation, chapter A-3.4.

Disclaimer Measurement Uncertainty:





Unless otherwise agreed upon, Pass or Fail verdicts are given base on the measured values without any considerations of measurement uncertainties. Please note, every test method has a measurement uncertainty which has been evaluated by the laboratory according to ISO/IEC 17025 requirements. By taking measurement uncertainties into account it might happen that measured values can neither be assessed as Pass nor as Fail.

TÜV SÜD Certification and Testing (China) Co., Ltd.
10 Huaxia Road(M), Dongting, Wuxi
Jiangsu, 214100, P. R. China

Shanghai Chemical Lab
No.1999 Duhui Road
Shanghai City

Tel.: +86-510-88203737
Fax: +86-510-88203636
www.tuv-sud.cn
info@tuv-sud.cn

Tel.: +86-21-60376368

Sample No.	Result	Description (Material, colour)	Photograph/Location
106	Pass	Golden copper alloy nut	
107	Pass	Gray hard plastic shell, KT-DTSD1352	
108	Pass	Yellow soft plastic button	
109	Pass	Transparent hard plastic shell	

Any use for advertising purposes must be granted in writing. This technical report may only be quoted in full. This report is the result of a single examination of the object in question and is not generally applicable evaluation of the quality of other products in regular production. For further details, please see testing and certification regulation, chapter A-3.4.

Disclaimer Measurement Uncertainty:





Unless otherwise agreed upon, Pass or Fail verdicts are given base on the measured values without any considerations of measurement uncertainties. Please note, every test method has a measurement uncertainty which has been evaluated by the laboratory according to ISO/IEC 17025 requirements. By taking measurement uncertainties into account it might happen that measured values can neither be assessed as Pass nor as Fail.

TÜV SÜD Certification and Testing (China) Co., Ltd.
10 Huaxia Road(M), Dongting, Wuxi
Jiangsu, 214100, P. R. China

Shanghai Chemical Lab
No.1999 Duhui Road
Shanghai City

Tel.: +86-510-88203737
Fax: +86-510-88203636
www.tuv-sud.cn
info@tuv-sud.cn

Tel.: +86-21-60376368

Sample No.	Result	Description (Material, colour)	Photograph/Location
110	Pass	Silvery metal screw, JXZ-01-C-A-01(K88-00A(H))	
111	Pass	Silvery metal bracket	
112	Pass	Silvery metal slice, BC-508X14-8	
113	Pass	Black soft plastic heat shrinkable tube	

Any use for advertising purposes must be granted in writing. This technical report may only be quoted in full. This report is the result of a single examination of the object in question and is not generally applicable evaluation of the quality of other products in regular production. For further details, please see testing and certification regulation, chapter A-3.4.

Disclaimer Measurement Uncertainty:

Unless otherwise agreed upon, Pass or Fail verdicts are given base on the measured values without any considerations of measurement uncertainties. Please note, every test method has a measurement uncertainty which has been evaluated by the laboratory according to ISO/IEC 17025 requirements. By taking measurement uncertainties into account it might happen that measured values can neither be assessed as Pass nor as Fail.

TÜV SÜD Certification and Testing (China) Co., Ltd.
10 Huaxia Road(M), Dongting, Wuxi
Jiangsu, 214100, P. R. China

Shanghai Chemical Lab
No.1999 Duhui Road
Shanghai City

Tel.: +86-510-88203737
Fax: +86-510-88203636
www.tuv-sud.cn
info@tuv-sud.cn

Tel.: +86-21-60376368

Report No. 48.400.21.0767.01-00/03

Dated 2021-07-07



China

Sample No.	Result	Description (Material, colour)	Photograph/Location
114	Pass	Red soft plastic wire jacket	
115	Pass	Silvery metal wire	
116	Pass	Gray hard plastic bracket, KT-7P-S05	

Any use for advertising purposes must be granted in writing. This technical report may only be quoted in full. This report is the result of a single examination of the object in question and is not generally applicable evaluation of the quality of other products in regular production. For further details, please see testing and certification regulation, chapter A-3.4.

Disclaimer Measurement Uncertainty:

Unless otherwise agreed upon, Pass or Fail verdicts are given base on the measured values without any considerations of measurement uncertainties. Please note, every test method has a measurement uncertainty which has been evaluated by the laboratory according to ISO/IEC 17025 requirements. By taking measurement uncertainties into account it might happen that measured values can neither be assessed as Pass nor as Fail.

TÜV SÜD Certification and Testing (China) Co., Ltd.
10 Huaxia Road(M), Dongting, Wuxi
Jiangsu, 214100, P. R. China

Shanghai Chemical Lab
No.1999 Duhui Road
Shanghai City

Tel.: +86-510-88203737
Fax: +86-510-88203636
www.tuv-sud.cn
info@tuv-sud.cn

Tel.: +86-21-60376368



China

Report No. 48.400.21.0767.01-00/03
Dated 2021-07-07

3. Test Results

3.1 ED-XRF Spectrometer test for total Cadmium, Chromium, Mercury, Lead and Bromine according to EN 62321-3-1:2014

Criteria of XRF test results

Pass:

Because of the nature of the testing procedure (caused by the uncertainty of the used, XRF method), a definite pass is given only if the XRF test score is less than 60% of the respective RoHS limit.

Inconclusive:

If the XRF test score is between 60% and 150% of the respective RoHS limit, further chemical test on the sample is required.

Fail:

A definite FAIL is given if the XRF test score is above 150% of the respective RoHS limit

***Explanation for RoHS limit**

Regarding Chromium and Bromine, the XRF test score shows the total Chromium and the total Bromine, but the RoHS limit of 1000 mg/kg, according to the directive 2011/65/EU, is only for Hexavalent Chromium and Brominated Flame Retardants. Therefore, if the XRF test result for the total Chromium and the total Bromine is more than 600 mg/kg and 300 mg/kg respectively, further analytical tests are necessary to find out the exact amount of Hexavalent Chromium and Brominated Flame Retardants

Any use for advertising purposes must be granted in writing. This technical report may only be quoted in full. This report is the result of a single examination of the object in question and is not generally applicable evaluation of the quality of other products in regular production. For further details, please see testing and certification regulation, chapter A-3.4.

Disclaimer Measurement Uncertainty:

Unless otherwise agreed upon, Pass or Fail verdicts are given base on the measured values without any considerations of measurement uncertainties. Please note, every test method has a measurement uncertainty which has been evaluated by the laboratory according to ISO/IEC 17025 requirements. By taking measurement uncertainties into account it might happen that measured values can neither be assessed as Pass nor as Fail.

TÜV SÜD Certification and Testing (China) Co., Ltd.
10 Huaxia Road(M), Dongting, Wuxi
Jiangsu, 214100, P. R. China

Tel.: +86-510-88203737
Fax: +86-510-88203636
www.tuv-sud.cn
info@tuv-sud.cn

Shanghai Chemical Lab
No.1999 Duhui Road
Shanghai City

Tel.: +86-21-60376368



China

Report No. 48.400.21.0767.01-00/03

Dated 2021-07-07

	TOTAL CADMIUM [mg/kg]	TOTAL LEAD [mg/kg]	TOTAL MERCURY [mg/kg]	TOTAL CHROMIUM [mg/kg]	TOTAL BROMINE [mg/kg]	OVERALL RESULT
ROHS LIMIT	100	1000	1000	1000	1000	
Pass result	< 60	< 600	< 600	< 600	< 300	
Inconclusive result	60 – 150	600 – 1500	600 – 1500	> 600	> 300	
Fail result	> 150	> 1500	> 1500	-	-	
01	<30	<30	<30	<30	<30	Pass
02	<30	<30	<30	<30	<30	Pass
03	<30	<30	<30	<30	63972	Inconclusive
04	<30	156	<30	458	<30	Pass
05	<30	2487***	<30	125	<30	Pass
06	<30	<30	<30	<30	<30	Pass
07	<30	39	<30	<30	<30	Pass
08	<30	3398***	<30	256	<30	Pass
09	45	144818***	<30	30	<30	Pass
10	<30	<30	<30	<30	<30	Pass
11	<30	<30	<30	<30	<30	Pass
12	<30	<30	<30	<30	<30	Pass
13	<30	<30	<30	<30	--	Pass
14	<30	<30	<30	<30	5443	Inconclusive
15	<30	82	<30	<30	--	Pass
16	<30	<30	<30	<30	<30	Pass
17	31	<30	<30	<30	--	Pass

Any use for advertising purposes must be granted in writing. This technical report may only be quoted in full. This report is the result of a single examination of the object in question and not generally applicable evaluation of the quality of other products in regular production. For further details, please see testing and certification regulation, chapter A-3.4.

Disclaimer Measurement Uncertainty:

Unless otherwise agreed upon, Pass or Fail verdicts are given base on the measured values without any considerations of measurement uncertainties. Please note, every test method has a measurement uncertainty which has been evaluated by the laboratory according to ISO/IEC 17025 requirements. By taking measurement uncertainties into account it might happen that measured values can neither be assessed as Pass nor as Fail.

TÜV SÜD Certification and Testing (China) Co., Ltd.
10 Huaxia Road(M), Dongting, Wuxi
Jiangsu, 214100, P. R. China

Shanghai Chemical Lab
No.1999 Duhui Road
Shanghai City

Tel.: +86-510-88203737
Fax: +86-510-88203636
www.tuv-sud.cn
info@tuv-sud.cn

Tel.: +86-21-60376368



China

Report No. 48.400.21.0767.01-00/03

Dated 2021-07-07

	TOTAL CADMIUM [mg/kg]	TOTAL LEAD [mg/kg]	TOTAL MERCURY [mg/kg]	TOTAL CHROMIUM [mg/kg]	TOTAL BROMINE [mg/kg]	OVERALL RESULT
ROHS LIMIT	100	1000	1000	1000	1000	
Pass result	< 60	< 600	< 600	< 600	< 300	
Inconclusive result	60 – 150	600 – 1500	600 – 1500	> 600	> 300	
Fail result	> 150	> 1500	> 1500	-	-	
18	<30	<30	<30	269	<30	Pass
19	41	<30	<30	<30	102994	Inconclusive
20	<30	<30	<30	115092	--	Inconclusive
21	<30	<30	<30	<30	<30	Pass
22	<30	<30	<30	<30	--	Pass
23	<30	<30	<30	<30	<30	Pass
24	<30	<30	<30	<30	<30	Pass
25	<30	<30	<30	<30	--	Pass
26	<30	<30	<30	<30	--	Pass
27	<30	130	<30	<30	--	Pass
28	<30	<30	<30	52	<30	Pass
29	<30	<30	<30	<30	<30	Pass
30	<30	589	<30	48	<30	Pass
31	<30	70	<30	<30	--	Pass
32	<30	343	<30	35	<30	Pass
33	<30	86	<30	<30	<30	Pass
34	<30	<30	<30	<30	--	Pass

Any use for advertising purposes must be granted in writing. This technical report may only be quoted in full. This report is the result of a single examination of the object in question and is not generally applicable evaluation of the quality of other products in regular production. For further details, please see testing and certification regulation, chapter A-3.4.

Disclaimer Measurement Uncertainty:

Unless otherwise agreed upon, Pass or Fail verdicts are given base on the measured values without any considerations of measurement uncertainties. Please note, every test method has a measurement uncertainty which has been evaluated by the laboratory according to ISO/IEC 17025 requirements. By taking measurement uncertainties into account it might happen that measured values can neither be assessed as Pass nor as Fail.

TÜV SÜD Certification and Testing (China) Co., Ltd.
10 Huaxia Road(M), Dongting, Wuxi
Jiangsu, 214100, P. R. China

Shanghai Chemical Lab
No.1999 Duhui Road
Shanghai City

Tel.: +86-510-88203737
Fax: +86-510-88203636
www.tuv-sud.cn
info@tuv-sud.cn

Tel.: +86-21-60376368



China

Report No. 48.400.21.0767.01-00/03

Dated 2021-07-07

	TOTAL CADMIUM [mg/kg]	TOTAL LEAD [mg/kg]	TOTAL MERCURY [mg/kg]	TOTAL CHROMIUM [mg/kg]	TOTAL BROMINE [mg/kg]	OVERALL RESULT
ROHS LIMIT	100	1000	1000	1000	1000	
Pass result	< 60	< 600	< 600	< 600	< 300	
Inconclusive result	60 – 150	600 – 1500	600 – 1500	> 600	> 300	
Fail result	> 150	> 1500	> 1500	-	-	
35	<30	<30	<30	<30	<30	Pass
36	<30	<30	<30	<30	<30	Pass
37	<30	44	<30	<30	--	Pass
38	<30	<30	<30	<30	<30	Pass
39	<30	<30	<30	<30	--	Pass
40	<30	<30	<30	<30	57	Pass
41	<30	<30	<30	<30	--	Pass
42	<30	<30	<30	<30	--	Pass
43	<30	<30	<30	<30	--	Pass
44	<30	<30	<30	<30	<30	Pass
45	<30	<30	<30	<30	<30	Pass
46	<30	<30	<30	<30	--	Pass
47	<30	<30	<30	<30	<30	Pass
48	<30	<30	<30	<30	<30	Pass
49	<30	<30	<30	<30	--	Pass
50	<30	98	<30	<30	<30	Pass
51	<30	<30	<30	<30	--	Pass

Any use for advertising purposes must be granted in writing. This technical report may only be quoted in full. This report is the result of a single examination of the object in question and is not generally applicable evaluation of the quality of other products in regular production. For further details, please see testing and certification regulation, chapter A-3.4.

Disclaimer Measurement Uncertainty:

Unless otherwise agreed upon, Pass or Fail verdicts are given base on the measured values without any considerations of measurement uncertainties. Please note, every test method has a measurement uncertainty which has been evaluated by the laboratory according to ISO/IEC 17025 requirements. By taking measurement uncertainties into account it might happen that measured values can neither be assessed as Pass nor as Fail.

TÜV SÜD Certification and Testing (China) Co., Ltd.
10 Huaxia Road(M), Dongting, Wuxi
Jiangsu, 214100, P. R. China

Shanghai Chemical Lab
No.1999 Duhui Road
Shanghai City

Tel.: +86-510-88203737
Fax: +86-510-88203636
www.tuv-sud.cn
info@tuv-sud.cn

Tel.: +86-21-60376368



China

Report No. 48.400.21.0767.01-00/03

Dated 2021-07-07

	TOTAL CADMIUM [mg/kg]	TOTAL LEAD [mg/kg]	TOTAL MERCURY [mg/kg]	TOTAL CHROMIUM [mg/kg]	TOTAL BROMINE [mg/kg]	OVERALL RESULT
ROHS LIMIT	100	1000	1000	1000	1000	
Pass result	< 60	< 600	< 600	< 600	< 300	
Inconclusive result	60 – 150	600 – 1500	600 – 1500	> 600	> 300	
Fail result	> 150	> 1500	> 1500	-	-	
52	<30	91	<30	224	<30	Pass
53	<30	<30	<30	<30	<30	Pass
54	<30	<30	<30	<30	--	Pass
55	<30	<30	<30	<30	--	Pass
56	<30	<30	<30	68	--	Pass
57	<30	<30	<30	<30	49462	Inconclusive
58	<30	<30	<30	<30	349	Inconclusive
59	<30	<30	<30	<30	--	Pass
60	<30	88	<30	541	<30	Pass
61	<30	36	<30	170	--	Pass
62	<30	<30	<30	46	--	Pass
63	<30	<30	<30	<30	145	Pass
64	<30	<30	<30	<30	136	Pass
65	<30	<30	<30	<30	--	Pass
66	<30	<30	<30	<30	--	Pass
67	<30	<30	<30	<30	<30	Pass
68	<30	<30	<30	<30	<30	Pass

Any use for advertising purposes must be granted in writing. This technical report may only be quoted in full. This report is the result of a single examination of the object in question and is not generally applicable evaluation of the quality of other products in regular production. For further details, please see testing and certification regulation, chapter A-3.4.

Disclaimer Measurement Uncertainty:

Unless otherwise agreed upon, Pass or Fail verdicts are given base on the measured values without any considerations of measurement uncertainties. Please note, every test method has a measurement uncertainty which has been evaluated by the laboratory according to ISO/IEC 17025 requirements. By taking measurement uncertainties into account it might happen that measured values can neither be assessed as Pass nor as Fail.

TÜV SÜD Certification and Testing (China) Co., Ltd.
10 Huaxia Road(M), Dongting, Wuxi
Jiangsu, 214100, P. R. China

Shanghai Chemical Lab
No.1999 Duhui Road
Shanghai City

Tel.: +86-510-88203737
Fax: +86-510-88203636
www.tuv-sud.cn
info@tuv-sud.cn

Tel.: +86-21-60376368



China

Report No. 48.400.21.0767.01-00/03

Dated 2021-07-07

	TOTAL CADMIUM [mg/kg]	TOTAL LEAD [mg/kg]	TOTAL MERCURY [mg/kg]	TOTAL CHROMIUM [mg/kg]	TOTAL BROMINE [mg/kg]	OVERALL RESULT
ROHS LIMIT	100	1000	1000	1000	1000	
Pass result	< 60	< 600	< 600	< 600	< 300	
Inconclusive result	60 – 150	600 – 1500	600 – 1500	> 600	> 300	
Fail result	> 150	> 1500	> 1500	-	-	
69	<30	166	<30	125	--	Pass
70	<30	151	<30	80	--	Pass
71	<30	142	<30	106	--	Pass
72	<30	75	<30	<30	93927	Inconclusive
73	<30	<30	<30	<30	<30	Pass
74	<30	<30	<30	<30	<30	Pass
75	<30	<30	<30	<30	<30	Pass
76	<30	75	<30	108	--	Pass
77	<30	<30	<30	<30	<30	Pass
78	<30	<30	<30	<30	--	Pass
79	<30	<30	<30	<30	<30	Pass
80	<30	43	<30	<30	14440	Inconclusive
81	<30	<30	<30	66	--	Pass
82	<30	<30	<30	<30	--	Pass
83	<30	<30	<30	<30	<30	Pass
84	<30	49	<30	164	--	Pass
85	<30	<30	<30	<30	--	Pass

Any use for advertising purposes must be granted in writing. This technical report may only be quoted in full. This report is the result of a single examination of the object in question and is not generally applicable evaluation of the quality of other products in regular production. For further details, please see testing and certification regulation, chapter A-3.4.

Disclaimer Measurement Uncertainty:

Unless otherwise agreed upon, Pass or Fail verdicts are given base on the measured values without any considerations of measurement uncertainties. Please note, every test method has a measurement uncertainty which has been evaluated by the laboratory according to ISO/IEC 17025 requirements. By taking measurement uncertainties into account it might happen that measured values can neither be assessed as Pass nor as Fail.

TÜV SÜD Certification and Testing (China) Co., Ltd.
10 Huaxia Road(M), Dongting, Wuxi
Jiangsu, 214100, P. R. China

Shanghai Chemical Lab
No.1999 Duhui Road
Shanghai City

Tel.: +86-510-88203737
Fax: +86-510-88203636
www.tuv-sud.cn
info@tuv-sud.cn

Tel.: +86-21-60376368



China

Report No. 48.400.21.0767.01-00/03

Dated 2021-07-07

	TOTAL CADMIUM [mg/kg]	TOTAL LEAD [mg/kg]	TOTAL MERCURY [mg/kg]	TOTAL CHROMIUM [mg/kg]	TOTAL BROMINE [mg/kg]	OVERALL RESULT
ROHS LIMIT	100	1000	1000	1000	1000	
Pass result	< 60	< 600	< 600	< 600	< 300	
Inconclusive result	60 – 150	600 – 1500	600 – 1500	> 600	> 300	
Fail result	> 150	> 1500	> 1500	-	-	
86	<30	<30	<30	<30	--	Pass
87	<30	74	<30	<30	--	Pass
88	<30	<30	<30	80	<30	Pass
89	<30	<30	<30	59	1551	Inconclusive
90	<30	<30	<30	<30	--	Pass
91	<30	<30	<30	<30	<30	Pass
92	<30	<30	<30	<30	--	Pass
93	<30	<30	<30	<30	--	Pass
94	<30	<30	<30	<30	<30	Pass
95	<30	<30	<30	<30	<30	Pass
96	<30	<30	<30	<30	<30	Pass
97	<30	<30	<30	<30	113471	Inconclusive
98	<30	<30	<30	<30	--	Pass
99	<30	<30	<30	<30	38773	Inconclusive
100	<30	<30	<30	<30	--	Pass
101	<30	<30	<30	<30	131426	Inconclusive
102	<30	<30	<30	<30	--	Pass

Any use for advertising purposes must be granted in writing. This technical report may only be quoted in full. This report is the result of a single examination of the object in question and not generally applicable evaluation of the quality of other products in regular production. For further details, please see testing and certification regulation, chapter A-3.4.

Disclaimer Measurement Uncertainty:

Unless otherwise agreed upon, Pass or Fail verdicts are given base on the measured values without any considerations of measurement uncertainties. Please note, every test method has a measurement uncertainty which has been evaluated by the laboratory according to ISO/IEC 17025 requirements. By taking measurement uncertainties into account it might happen that measured values can neither be assessed as Pass nor as Fail.

TÜV SÜD Certification and Testing (China) Co., Ltd.
10 Huaxia Road(M), Dongting, Wuxi
Jiangsu, 214100, P. R. China

Shanghai Chemical Lab
No.1999 Duhui Road
Shanghai City

Tel.: +86-510-88203737
Fax: +86-510-88203636
www.tuv-sud.cn
info@tuv-sud.cn

Tel.: +86-21-60376368



China

	TOTAL CADMIUM [mg/kg]	TOTAL LEAD [mg/kg]	TOTAL MERCURY [mg/kg]	TOTAL CHROMIUM [mg/kg]	TOTAL BROMINE [mg/kg]	OVERALL RESULT
ROHS LIMIT	100	1000	1000	1000	1000	
Pass result	< 60	< 600	< 600	< 600	< 300	
Inconclusive result	60 – 150	600 – 1500	600 – 1500	> 600	> 300	
Fail result	> 150	> 1500	> 1500	-	-	
103	<30	<30	<30	<30	<30	Pass
104	<30	<30	<30	<30	<30	Pass
105	<30	<30	<30	<30	<30	Pass
106	<30	3078**	<30	<30	--	Inconclusive
107	<30	<30	<30	<30	<30	Pass
108	<30	<30	<30	<30	<30	Pass
109	<30	<30	<30	<30	<30	Pass
110	<30	<30	<30	778	--	Inconclusive
111	<30	<30	<30	475	--	Pass
112	<30	91	<30	<30	--	Pass
113	<30	<30	<30	<30	<30	Pass
114	<30	<30	<30	<30	<30	Pass
115	<30	<30	<30	<30	--	Pass
116	<30	<30	<30	<30	<30	Pass

Remark:

1. "<" means "less than".
2. "mg/kg" denotes "milligram per kilogram".
3. With regard to the stoichiometry of Br in PBBs and PBDEs, the lower limit for Br is set at 300 mg/kg.
4. "--" means the substance for this sample are not tested.
5. "**" means the result is exempted according to 2011/65/EU ANNEX item 6(c): Lead as a copper alloy containing up to 4 % lead by weight.
6. "***" means the result is exempted according to 2011/65/EU ANNEX item 7(c)-I: Electrical and electronic

Any use for advertising purposes must be granted in writing. This technical report may only be quoted in full. This report is the result of a single examination of the object in question and not generally applicable evaluation of the quality of other products in regular production. For further details, please see testing and certification regulation, chapter A-3.4.

Disclaimer Measurement Uncertainty:

Unless otherwise agreed upon, Pass or Fail verdicts are given base on the measured values without any considerations of measurement uncertainties. Please note, every test method has a measurement uncertainty which has been evaluated by the laboratory according to ISO/IEC 17025 requirements. By taking measurement uncertainties into account it might happen that measured values can neither be assessed as Pass nor as Fail.

TÜV SÜD Certification and Testing (China) Co., Ltd.
10 Huaxia Road(M), Dongting, Wuxi
Jiangsu, 214100, P. R. China

Shanghai Chemical Lab
No.1999 Duhui Road
Shanghai City

Tel.: +86-510-88203737
Fax: +86-510-88203636
www.tuv-sud.cn
info@tuv-sud.cn

Tel.: +86-21-60376368

Report No. 48.400.21.0767.01-00/03

Dated 2021-07-07



China

3.2 Wet chemical test

Main instruments used for wet chemical test

Testing Target	Instrument	Method
Lead & Cadmium	ICP-OES	EN 62321-5:2014
Mercury	ICP-OES	EN 62321-4:2014/A1:2017
Hexavalent Chromium	UV-Vis	EN 62321-7-1:2015 EN 62321-7-2:2017
PBBs & PBDEs	GC/MS	EN62321-6:2015
DEHP, BBP, DBP & DIBP	GC/MS	EN 62321-8:2017

Criteria of chemical test results

Pass:

A definite Pass is given If the chemical test result meets the requirements of RoHS.

Fail:

A definite Fail is given If the chemical test result exceeds the full respective RoHS limit.

Any use for advertising purposes must be granted in writing. This technical report may only be quoted in full. This report is the result of a single examination of the object in question and is not generally applicable evaluation of the quality of other products in regular production. For further details, please see testing and certification regulation, chapter A-3.4.

Disclaimer Measurement Uncertainty:

Unless otherwise agreed upon, Pass or Fail verdicts are given base on the measured values without any considerations of measurement uncertainties. Please note, every test method has a measurement uncertainty which has been evaluated by the laboratory according to ISO/IEC 17025 requirements. By taking measurement uncertainties into account it might happen that measured values can neither be assessed as Pass nor as Fail.

TÜV SÜD Certification and Testing (China) Co., Ltd.
10 Huaxia Road(M), Dongting, Wuxi
Jiangsu, 214100, P. R. China

Tel.: +86-510-88203737
Fax: +86-510-88203636
www.tuv-sud.cn
info@tuv-sud.cn

Shanghai Chemical Lab
No.1999 Duhui Road
Shanghai City

Tel.: +86-21-60376368



China

Report No. 48.400.21.0767.01-00/03

Dated 2021-07-07

Test Sample	Cadmium [mg/kg]	Lead [mg/kg]	Mercury [mg/kg]	Chromium# (VI) [mg/kg]	PBBs (Sum) [mg/kg]	PBDEs (Sum) [mg/kg]	OVERALL RESULT
Limit	100	1000	1000	§	1000	1000	
20	--	--	--	Negative	--	--	Pass
110	--	--	--	Negative	--	--	Pass

Remark:

1. "--" means the substance for this sample are not tested.
2. "mg/kg" denotes "milligram per kilogram"
3. "§" The Chromium (VI) content in surface layer have been confirmed with reference to EN 62321-7-1:2015

Result	Chromium (VI) concentration	Qualitative result
Negative	$<0.1 \mu\text{g}/\text{cm}^2$	The sample is negative for Cr(VI). The Cr(VI) concentration is below the limit of quantification. The coating is considered a non-Cr(VI) based coating.
Inconclusive	$\geq 0.1 \mu\text{g}/\text{cm}^2$ and $\leq 0.13 \mu\text{g}/\text{cm}^2$	The result is considered to be inconclusive. Unavoidable coating variations may influence the determination. Recommendation: if additional samples are available, perform a total of 3 trials to increase sampling surface area. Use the averaged result of the 3 trials for the final determination.
Positive	$>0.13 \mu\text{g}/\text{cm}^2$	The sample is positive for Cr(VI). Concentration is above the limit of quantification and the statistical margin of error. The sample coating is considered to contain Cr(VI).

Any use for advertising purposes must be granted in writing. This technical report may only be quoted in full. This report is the result of a single examination of the object in question and is not generally applicable evaluation of the quality of other products in regular production. For further details, please see testing and certification regulation, chapter A-3.4.

Disclaimer Measurement Uncertainty:

Unless otherwise agreed upon, Pass or Fail verdicts are given base on the measured values without any considerations of measurement uncertainties. Please note, every test method has a measurement uncertainty which has been evaluated by the laboratory according to ISO/IEC 17025 requirements. By taking measurement uncertainties into account it might happen that measured values can neither be assessed as Pass nor as Fail.

TÜV SÜD Certification and Testing (China) Co., Ltd.
10 Huaxia Road(M), Dongting, Wuxi
Jiangsu, 214100, P. R. China

Shanghai Chemical Lab
No.1999 Duhui Road
Shanghai City

Tel.: +86-510-88203737
Fax: +86-510-88203636
www.tuv-sud.cn
info@tuv-sud.cn

Tel.: +86-21-60376368



China

Report No. 48.400.21.0767.01-00/03

Dated 2021-07-07

Test Sample	Cadmium [mg/kg]	Lead [mg/kg]	Mercury [mg/kg]	Chromium (VI) [mg/kg]	PBBs (Sum) [mg/kg]	PBDEs (Sum) [mg/kg]	OVERALL RESULT
Limit	100	1000	1000	1000	1000	1000	
03	--	--	--	--	<50	<50	Pass
14	--	--	--	--	<50	<50	Pass
19	--	--	--	--	<50	<50	Pass
57	--	--	--	--	<50	<50	Pass
58	--	--	--	--	<50	<50	Pass
72	--	--	--	--	<50	<50	Pass
80	--	--	--	--	<50	<50	Pass
89	--	--	--	--	<50	<50	Pass
97	--	--	--	--	<50	<50	Pass
99	--	--	--	--	<50	<50	Pass
101	--	--	--	--	<50	<50	Pass
106	--	14018**	--	--	--	--	Pass

Remark:

1. ND = Not detected (Detected limit of Cd :2mg/kg;Pb, Hg, and Cr(VI):5mg/kg; PBBs and PBDEs: 5mg/kg)
2. " mg/kg " denotes " milligram per kilogram ".
3. "--" means the substance for this sample are not tested.
4. " ** " means the result is exempted according to 2011/65/EU ANNEX item 6(c): Lead as an copper alloy containing up to 4 % lead by weight.

Any use for advertising purposes must be granted in writing. This technical report may only be quoted in full. This report is the result of a single examination of the object in question and is not generally applicable evaluation of the quality of other products in regular production. For further details, please see testing and certification regulation, chapter A-3.4.

Disclaimer Measurement Uncertainty:

Unless otherwise agreed upon, Pass or Fail verdicts are given base on the measured values without any considerations of measurement uncertainties. Please note, every test method has a measurement uncertainty which has been evaluated by the laboratory according to ISO/IEC 17025 requirements. By taking measurement uncertainties into account it might happen that measured values can neither be assessed as Pass nor as Fail.

TÜV SÜD Certification and Testing (China) Co., Ltd.
10 Huaxia Road(M), Dongting, Wuxi
Jiangsu, 214100, P. R. China

Shanghai Chemical Lab
No.1999 Duhui Road
Shanghai City

Tel.: +86-510-88203737
Fax: +86-510-88203636
www.tuv-sud.cn
info@tuv-sud.cn

Tel.: +86-21-60376368

Report No. 48.400.21.0767.01-00/03

Dated 2021-07-07



China

Test Sample	DEHP [mg/kg]	DBP [mg/kg]	BBP [mg/kg]	DIBP [mg/kg]	RESULT
Limit	1000	1000	1000	1000	
01+02+03	<200	<200	<200	<200	Pass
04+05+06	<200	<200	<200	<200	Pass
07+08+09	<200	<200	<200	<200	Pass
10+11+12	<200	<200	<200	<200	Pass
14+16+18	<200	<200	<200	<200	Pass
19+21+23	<200	<200	<200	<200	Pass
24+28+29	<200	<200	<200	<200	Pass
30+32+33	<200	<200	<200	<200	Pass
35+36+38	<200	<200	<200	<200	Pass
40+44+45	<200	<200	<200	<200	Pass
47+48+50	<200	<200	<200	<200	Pass
52+53+57	<200	<200	<200	<200	Pass
58+60+63	<200	<200	<200	<200	Pass
64+67+68	<200	<200	<200	<200	Pass
72+73+74	<200	<200	<200	<200	Pass
75+77+79	<200	<200	<200	<200	Pass
80+83+88	<200	<200	<200	<200	Pass
89+91+94	<200	<200	<200	<200	Pass
95+96+97	<200	<200	<200	<200	Pass
99+101+103	<200	<200	<200	<200	Pass
104+105+107	<200	<200	<200	<200	Pass
108+109+113	<200	<200	<200	<200	Pass

Any use for advertising purposes must be granted in writing. This technical report may only be quoted in full. This report is the result of a single examination of the object in question and is not generally applicable evaluation of the quality of other products in regular production. For further details, please see testing and certification regulation, chapter A-3.4.

Disclaimer Measurement Uncertainty:

Unless otherwise agreed upon, Pass or Fail verdicts are given base on the measured values without any considerations of measurement uncertainties. Please note, every test method has a measurement uncertainty which has been evaluated by the laboratory according to ISO/IEC 17025 requirements. By taking measurement uncertainties into account it might happen that measured values can neither be assessed as Pass nor as Fail.

TÜV SÜD Certification and Testing (China) Co., Ltd.
10 Huaxia Road(M), Dongting, Wuxi
Jiangsu, 214100, P. R. China

Shanghai Chemical Lab
No.1999 Duhui Road
Shanghai City

Tel.: +86-510-88203737
Fax: +86-510-88203636
www.tuv-sud.cn
info@tuv-sud.cn

Tel.: +86-21-60376368

Report No. 48.400.21.0767.01-00/03

Dated 2021-07-07



China

Remark:

1. "<" means "less than".
2. "mg/kg" denotes "milligram per kilogram".
3. DEHP = Di-(2-ethyl-hexyl)phthalate, DBP = Di-butyl phthalate
BBP = Butyl-benzyl phthalate, DIBP = Di-iso-butyl phthalate

TÜV SÜD Certification and Testing (China) Co., Ltd.

Prepared by:



Mr. Yiwei CHEN

Checked by:



Mr. Feng ZHANG

Any use for advertising purposes must be granted in writing. This technical report may only be quoted in full. This report is the result of a single examination of the object in question and is not generally applicable evaluation of the quality of other products in regular production. For further details, please see testing and certification regulation, chapter A-3.4.

Disclaimer Measurement Uncertainty:

Unless otherwise agreed upon, Pass or Fail verdicts are given base on the measured values without any considerations of measurement uncertainties. Please note, every test method has a measurement uncertainty which has been evaluated by the laboratory according to ISO/IEC 17025 requirements. By taking measurement uncertainties into account it might happen that measured values can neither be assessed as Pass nor as Fail.

TÜV SÜD Certification and Testing (China) Co., Ltd.
10 Huaxia Road(M), Dongting, Wuxi
Jiangsu, 214100, P. R. China

Shanghai Chemical Lab
No.1999 Duhui Road
Shanghai City

Tel.: +86-510-88203737
Fax: +86-510-88203636
www.tuv-sud.cn
info@tuv-sud.cn

Tel.: +86-21-60376368


Report No. 48.400.21.0767.01-00/03

Dated 2021-07-07



China

APPENDIX I: Product Model

Product: Meter	Test model: ADL400
 A photograph of a white Acrel ADL400 meter. The meter has a small LCD screen at the top, three buttons below it, and a printer-like output at the bottom. The brand name 'Acrel' is visible on the top left, and 'ADL400' is printed on the bottom right. A wooden ruler is placed below the meter for scale, showing markings from approximately 18 to 38 centimeters.	
Additional model: ADL200, DDS, DTSD, DDS, DDSY, DTSY, DDSF, DTSF, ADL10, ADL100, ADL3000, ADM, ADF	

Remark:

1. The report covers material testing on specified samples.
2. The tested materials covered by the report were declared by the manufacturer to be used on the models listed in the annex of the report.

Any use for advertising purposes must be granted in writing. This technical report may only be quoted in full. This report is the result of a single examination of the object in question and is not generally applicable evaluation of the quality of other products in regular production. For further details, please see testing and certification regulation, chapter A-3.4.

Disclaimer Measurement Uncertainty:

Unless otherwise agreed upon, Pass or Fail verdicts are given base on the measured values without any considerations of measurement uncertainties. Please note, every test method has a measurement uncertainty which has been evaluated by the laboratory according to ISO/IEC 17025 requirements. By taking measurement uncertainties into account it might happen that measured values can neither be assessed as Pass nor as Fail.

TÜV SÜD Certification and Testing (China) Co., Ltd.
10 Huaxia Road(M), Dongting, Wuxi
Jiangsu, 214100, P. R. China

Tel.: +86-510-88203737
Fax: +86-510-88203636
www.tuv-sud.cn
info@tuv-sud.cn

Shanghai Chemical Lab
No.1999 Duhui Road
Shanghai City

Tel.: +86-21-60376368

3. APPENDIX II: Official Exemption Items

Below items are quoted based on Directives of 2011/65/EU and its valid Amending Directives.

Exemption		Scope and dates of applicability
1(a)	Single capped (compact) fluorescent lamps not exceeding (per burner): For general lighting purposes < 30W: 5 mg	Expires on 31 December 2011; 3.5 mg may be used per burner after 31 December 2011 Until 31 December 2012; 2.5 mg shall be used per burner after 31 December 2012
1(b)	Single capped (compact) fluorescent lamps not exceeding (per burner): For general lighting purposes ≥ 30 W and < 50 W: 5 mg	Expires on 31 December 2011; 3.5 mg may be used per burner after 31 December 2011
1(c)	Single capped (compact) fluorescent lamps not exceeding (per burner): For general lighting purposes ≥ 50 W and < 150 W: 5 mg	-
1(d)	Single capped (compact) fluorescent lamps not exceeding (per burner): For general lighting purposes ≥ 150 W: 15 mg	-
1(e)	Single capped (compact) fluorescent lamps not exceeding (per burner): For general lighting purposes with circular or square structural shape and tube diameter ≤ 17 mm	No limitation of use until 31 December 2011; 7 mg may be used per burner after 31 December 2011
1(f)	Single capped (compact) fluorescent lamps not exceeding (per burner): For special purposes: 5 mg	-
1(g)	Mercury in single capped (compact) fluorescent lamps not exceeding (per burner): For general lighting purposes < 30 W with a lifetime equal or above 20 000 h: 3.5 mg	Expires on 31 December 2017
2(a)(1)	Double-capped linear fluorescent lamps for general lighting purposes not exceeding (per lamp): Tri-band phosphor with normal lifetime and a tube diameter < 9 mm (e.g. T2): 5 mg	Expires on 31 December 2011; 4 mg may be used per lamp after 31 December 2011
2(a)(2)	Double-capped linear fluorescent lamps for general lighting purposes not exceeding (per lamp): Tri-band phosphor with normal lifetime and a tube diameter ≥ 9 mm and ≤ 17 mm (e.g. T5): 5 mg	Expires on 31 December 2011; 3 mg may be used per lamp after 31 December 2011
2(a)(3)	Double-capped linear fluorescent lamps for general lighting purposes not exceeding (per lamp): Tri-band phosphor with normal lifetime and a tube diameter > 17 mm and ≤ 28 mm (e.g. T8): 5 mg	Expires on 31 December 2011; 3.5 mg may be used per lamp after 31 December 2011
2(a)(4)	Double-capped linear fluorescent lamps for general lighting purposes not exceeding (per lamp): Tri-band phosphor with normal lifetime and a tube diameter > 28 mm (e.g. T12): 5 mg	Expires on 31 December 2012; 3.5 mg may be used per lamp after 31 December 2012
2(a)(5)	Double-capped linear fluorescent lamps for general lighting purposes not exceeding (per lamp): Tri-band phosphor with long lifetime (≥ 25 000 h): 8 mg	Expires on 31 December 2011; 5 mg may be used per lamp after 31 December 2011
2(b)(1)	Other fluorescent lamps not exceeding (per lamp): Linear halophosphate lamps with tube > 28 mm (e.g. T10 and T12): 10 mg	Expires on 13 April 2012
2(b)(2)	Other fluorescent lamps not exceeding (per lamp): Non-linear halophosphate lamps (all diameters): 15 mg	Expires on 13 April 2016

Any use for advertising purposes must be granted in writing. This technical report may only be quoted in full. This report is the result of a single examination of the object in question and is not generally applicable evaluation of the quality of other products in regular production. For further details, please see testing and certification regulation, chapter A-3.4.

Disclaimer Measurement Uncertainty:

Unless otherwise agreed upon, Pass or Fail verdicts are given based on the measured values without any considerations of measurement uncertainties. Please note, every test method has a measurement uncertainty which has been evaluated by the laboratory according to ISO/IEC 17025 requirements. By taking measurement uncertainties into account it might happen that measured values can neither be assessed as Pass nor as Fail.

TÜV SÜD Certification and Testing (China) Co., Ltd.
10 Huaxia Road(M), Dongting, Wuxi
Jiangsu, 214100, P. R. China

Shanghai Chemical Lab
No.1999 Duhui Road
Shanghai City

Tel.: +86-510-88203737
Fax: +86-510-88203636
www.tuv-sud.cn
info@tuv-sud.cn

Tel.: +86-21-60376368

Exemption		Scope and dates of applicability
2(b)(3)	Other fluorescent lamps not exceeding (per lamp): Non-linear tri-band phosphor lamps with tube diameter > 17 mm (e.g. T9)	No limitation of use until 31 December 2011; 15 mg may be used per lamp after 31 December 2011
2(b)(4)	Other fluorescent lamps not exceeding (per lamp): Lamps for other general lighting and special purposes (e.g. induction lamps)	No limitation of use until 31 December 2011; 15 mg may be used per lamp after 31 December 2011
3(a)	Cold cathode fluorescent lamps and external electrode fluorescent lamps (CCFL and EEFL) for special purposes not exceeding (per lamp): Short length (≤ 500 mm)	No limitation of use until 31 December 2011; 3.5 mg may be used per lamp after 31 December 2011
3(b)	Cold cathode fluorescent lamps and external electrode fluorescent lamps (CCFL and EEFL) for special purposes not exceeding (per lamp): Medium length (> 500 mm and $\leq 1\ 500$ mm)	No limitation of use until 31 December 2011; 5 mg may be used per lamp after 31 December 2011
3(c)	Cold cathode fluorescent lamps and external electrode fluorescent lamps (CCFL and EEFL) for special purposes not exceeding (per lamp): Long length ($> 1\ 500$ mm)	No limitation of use until 31 December 2011; 13 mg may be used per lamp after 31 December 2011
4(a)	Other low pressure discharge lamps (per lamp)	No limitation of use until 31 December 2011; 15 mg may be used per lamp after 31 December 2011
4(b)-I	High Pressure Sodium (vapour) lamps for general lighting purposes not exceeding (per burner) in lamps with improved colour rendering index $R_a > 60$: $P \leq 155$ W	No limitation of use until 31 December 2011; 30 mg may be used per burner after 31 December 2011
4(b)-II	High Pressure Sodium (vapour) lamps for general lighting purposes not exceeding (per burner) in lamps with improved colour rendering index $R_a > 60$: 155 W < $P \leq 405$ W	No limitation of use until 31 December 2011; 40 mg may be used per burner after 31 December 2011
4(b)-III	High Pressure Sodium (vapour) lamps for general lighting purposes not exceeding (per burner) in lamps with improved colour rendering index $R_a > 60$: $P > 405$ W	No limitation of use until 31 December 2011; 40 mg may be used per burner after 31 December 2011
4(c)-I	Other High Pressure Sodium (vapour) lamps for general lighting purposes not exceeding (per burner): $P \leq 155$ W	No limitation of use until 31 December 2011; 25 mg may be used per burner after 31 December 2011
4(c)-II	Other High Pressure Sodium (vapour) lamps for general lighting purposes not exceeding (per burner): 155 W < $P \leq 405$ W	No limitation of use until 31 December 2011; 30 mg may be used per burner after 31 December 2011
4(c)-III	Other High Pressure Sodium (vapour) lamps for general lighting purposes not exceeding (per burner): $P > 405$ W	No limitation of use until 31 December 2011; 40 mg may be used per burner after 31 December 2011
4(d)	High Pressure Mercury (vapour) lamps (HPMV)	Expires on 13 April 2015
4(e)	Metal halide lamps (MH)	-
4(f)	Other discharge lamps for special purposes not specifically mentioned in this Annex	-
4(g)	Hand crafted luminous discharge tubes used for signs, decorative or architectural and specialist lighting and light-artwork, where the mercury content shall be limited as follows: (a) 20 mg per electrode pair + 0.3 mg per tube length in cm, but not more than 80 mg, for outdoor applications and indoor applications exposed to temperatures below 20 °C;	Expires on 31 December 2018

Any use for advertising purposes must be granted in writing. This technical report may only be quoted in full. This report is the result of a single examination of the object in question and is not generally applicable evaluation of the quality of other products in regular production. For further details, please see testing and certification regulation, chapter A-3.4.

Disclaimer Measurement Uncertainty:

Unless otherwise agreed upon, Pass or Fail verdicts are given base on the measured values without any considerations of measurement uncertainties. Please note, every test method has a measurement uncertainty which has been evaluated by the laboratory according to ISO/IEC 17025 requirements. By taking measurement uncertainties into account it might happen that measured values can neither be assessed as Pass nor as Fail.

Exemption		Scope and dates of applicability
	(b)15 mg per electrode pair + 0.24 mg per tube length in cm, but not more than 80 mg, for all other indoor applications.	
5(a)	Glass of cathode ray tubes	-
5(b)	Glass of fluorescent tubes not exceeding 0.2 % by weight	-
6(a)	Alloying element in steel for machining purposes and in galvanised steel containing up to 0.35 % lead by weight	Expires on: —21 July 2021 for categories 8 and 9 other than in vitro diagnostic medical devices and industrial monitoring and control instruments; —21 July 2023 for category 8 in vitro diagnostic medical devices; —21 July 2024 for category 9 industrial monitoring and control instruments, and for category 11.
6(a)-I	Lead as an alloying element in steel for machining purposes containing up to 0,35 % lead by weight and in batch hot dip galvanised steel components containing up to 0,2 % lead by weight	Expires on 21 July 2021 for categories 1-7 and 10.'
6(b)	Alloying element in aluminium containing up to 0.4 % lead by weight	Expires on: —21 July 2021 for categories 8 and 9 other than in vitro diagnostic medical devices and industrial monitoring and control instruments, —21 July 2023 for category 8 in vitro diagnostic medical devices, —21 July 2024 for category 9 industrial monitoring and control instruments, and for category 11.
6(b)-I	Lead as an alloying element in aluminium containing up to 0,4 % lead by weight, provided it stems from lead-bearing aluminium scrap recycling	Expires on 21 July 2021 for categories 1-7 and 10
6(b)-II	Lead as an alloying element in aluminium for machining purposes with a lead content up to 0,4 % by weight	Expires on 21 July 2021 for categories 1-7 and 10
6(c)	Copper alloy containing up to 4 % lead by weight	Expires on: —21 July 2021 for categories 1-7 and 10; —21 July 2021 for categories 8 and 9 other than in vitro diagnostic medical devices and industrial monitoring and control instruments; —21 July 2023 for category 8 in vitro diagnostic medical devices; —21 July 2024 for category 9 industrial monitoring and control instruments, and for category 11.
7(a)	High melting temperature type solders (i.e. lead-based alloys containing 85 % by weight or more lead)	Applies to categories 1-7 and 10 (except applications covered by point 24 of this Annex) and expires on 21 July 2021. For categories 8 and 9 other than in vitro diagnostic medical devices and industrial

Any use for advertising purposes must be granted in writing. This technical report may only be quoted in full. This report is the result of a single examination of the object in question and not generally applicable evaluation of the quality of other products in regular production. For further details, please see testing and certification regulation, chapter A-3.4.

Disclaimer Measurement Uncertainty:

Unless otherwise agreed upon, Pass or Fail verdicts are given base on the measured values without any considerations of measurement uncertainties. Please note, every test method has a measurement uncertainty which has been evaluated by the laboratory according to ISO/IEC 17025 requirements. By taking measurement uncertainties into account it might happen that measured values can neither be assessed as Pass nor as Fail.

TÜV SÜD Certification and Testing (China) Co., Ltd.
10 Huaxia Road(M), Dongting, Wuxi
Jiangsu, 214100, P. R. China

Shanghai Chemical Lab
No.1999 Duhui Road
Shanghai City

Tel.: +86-510-88203737
Fax: +86-510-88203636
www.tuv-sud.cn
info@tuv-sud.cn

Tel.: +86-21-60376368

Exemption		Scope and dates of applicability
		<p>monitoring and control instruments expires on 21 July 2021.</p> <p>For category 8 in vitro diagnostic medical devices expires on 21 July 2023.</p> <p>For category 9 industrial monitoring and control instruments, and for category 11 expires on 21 July 2024.</p>
7(b)	Solders for servers, storage and storage array systems, network infrastructure equipment for switching, signalling, transmission, and network management for telecommunications	-
7(c)-I	Electrical and electronic components containing lead in a glass or ceramic other than dielectric ceramic in capacitors, e.g. piezoelectronic devices, or in a glass or ceramic matrix compound	<p>Applies to categories 1-7 and 10 (except applications covered under point 34) and expires on 21 July 2021.</p> <p>For categories 8 and 9 other than in vitro diagnostic medical devices and industrial monitoring and control instruments expires on 21 July 2021.</p> <p>For category 8 in vitro diagnostic medical devices expires on 21 July 2023.</p> <p>For category 9 industrial monitoring and control instruments, and for category 11 expires on 21 July 2024.</p>
7(c)-II	Dielectric ceramic in capacitors for a rated voltage of 125 V AC or 250 V DC or higher	<p>Does not apply to applications covered by point 7(c)-I and 7(c)-IV of this Annex.</p> <p>Expires on:</p> <ul style="list-style-type: none"> —21 July 2021 for categories 1-7 and 10; —21 July 2021 for categories 8 and 9 other than in vitro diagnostic medical devices and industrial monitoring and control instruments; —21 July 2023 for category 8 in vitro diagnostic medical devices; —21 July 2024 for category 9 industrial monitoring and control instruments, and for category 11.
7(c)-III	Dielectric ceramic in capacitors for a rated voltage of less than 125 V AC or 250 V DC	Expires on 1 January 2013 and after that date may be used in spare parts for EEE placed on the market before 1 January 2013
7(c)-IV	PZT based dielectric ceramic materials for capacitors which are part of integrated circuits or discrete semiconductors	<p>Expires on:</p> <ul style="list-style-type: none"> —21 July 2021 for categories 1-7 and 10; —21 July 2021 for categories 8 and 9 other than in vitro diagnostic medical devices and industrial monitoring and control instruments; —21 July 2023 for category 8 in vitro diagnostic medical devices; —21 July 2024 for category 9 industrial monitoring and control instruments, and for category 11.
8(a)	Cadmium and its compounds in one shot pellet type thermal cut-offs	Expires on 1 January 2012 and after that date may be used in spare parts for EEE placed on the market before 1 January 2012

Any use for advertising purposes must be granted in writing. This technical report may only be quoted in full. This report is the result of a single examination of the object in question and is not generally applicable evaluation of the quality of other products in regular production. For further details, please see testing and certification regulation, chapter A-3.4.

Disclaimer Measurement Uncertainty:

Unless otherwise agreed upon, Pass or Fail verdicts are given base on the measured values without any considerations of measurement uncertainties. Please note, every test method has a measurement uncertainty which has been evaluated by the laboratory according to ISO/IEC 17025 requirements. By taking measurement uncertainties into account it might happen that measured values can neither be assessed as Pass nor as Fail.



Exemption		Scope and dates of applicability
8(b)	Cadmium and its compounds in electrical contacts	Applies to categories 8, 9 and 11 and expires on: —21 July 2021 for categories 8 and 9 other than in vitro diagnostic medical devices and industrial monitoring and control instruments; —21 July 2023 for category 8 in vitro diagnostic medical devices; —21 July 2024 for category 9 industrial monitoring and control instruments, and for category 11.
8(b)-I	Cadmium and its compounds in electrical contacts used in: —circuit breakers, —thermal sensing controls, —thermal motor protectors (excluding hermetic thermal motor protectors), —AC switches rated at: —6 A and more at 250 V AC and more, or —12 A and more at 125 V AC and more, —DC switches rated at 20 A and more at 18 V DC and more, and —switches for use at voltage supply frequency ≥ 200 Hz.	Applies to categories 1 to 7 and 10 and expires on 21 July 2021.
9	Hexavalent chromium as an anticorrosion agent of the carbon steel cooling system in absorption refrigerators up to 0,75 % by weight in the cooling solution	Applies to categories 8, 9 and 11 and expires on: —21 July 2021 for categories 8 and 9 other than in vitro diagnostic medical devices and industrial monitoring and control instruments, —21 July 2023 for category 8 in vitro diagnostic medical devices, —21 July 2024 for category 9 industrial monitoring and control instruments, and for category 11.
9(a)-I	Up to 0,75 % hexavalent chromium by weight, used as an anticorrosion agent in the cooling solution of carbon steel cooling systems of absorption refrigerators (including minibars) designed to operate fully or partly with electrical heater, having an average utilised power input < 75 W at constant running conditions	Applies to categories 1-7 and 10 and expires on 5 March 2021.
9(a)-II	Up to 0,75 % hexavalent chromium by weight, used as an anticorrosion agent in the cooling solution of carbon steel cooling systems of absorption refrigerators: —designed to operate fully or partly with electrical heater, having an average utilised power input ≥ 75 W at constant running conditions, —designed to fully operate with non-electrical heater.	Applies to categories 1-7 and 10 and expires on 21 July 2021.
9(b)	Bearing shells and bushes for refrigerant-containing compressors for heating, ventilation, air conditioning and refrigeration (HVACR) applications	Applies to categories 8, 9 and 11; expires on: 21 July 2023 for category 8 in vitro diagnostic medical devices, 21 July 2024 for category 9 industrial monitoring and control instruments and for category 11,

Any use for advertising purposes must be granted in writing. This technical report may only be quoted in full. This report is the result of a single examination of the object in question and is not generally applicable evaluation of the quality of other products in regular production. For further details, please see testing and certification regulation, chapter A-3.4.

Disclaimer Measurement Uncertainty:

Unless otherwise agreed upon, Pass or Fail verdicts are given base on the measured values without any considerations of measurement uncertainties. Please note, every test method has a measurement uncertainty which has been evaluated by the laboratory according to ISO/IEC 17025 requirements. By taking measurement uncertainties into account it might happen that measured values can neither be assessed as Pass nor as Fail.

TÜV SÜD Certification and Testing (China) Co., Ltd.
10 Huaxia Road(M), Dongting, Wuxi
Jiangsu, 214100, P. R. China

Shanghai Chemical Lab
No.1999 Duhui Road
Shanghai City

Tel.: +86-510-88203737
Fax: +86-510-88203636
www.tuv-sud.cn
info@tuv-sud.cn

Tel.: +86-21-60376368

Exemption		Scope and dates of applicability
		21 July 2021 for other subcategories of categories 8 and 9.
9(b)-I	Bearing shells and bushes for refrigerant-containing hermetic scroll compressors with a stated electrical power input equal or below 9 kW for heating, ventilation, air conditioning and refrigeration (HVACR) applications	Applies to category 1; expires on 21 July 2019.
11(a)	C-press compliant pin connector systems	May be used in spare parts for EEE placed on the market before 24 September 2010
11(b)	Other than C-press compliant pin connector systems	Expires on 1 January 2013 and after that date may be used in spare parts for EEE placed on the market before 1 January 2013
12	Coating material for the thermal conduction module C-ring	May be used in spare parts for EEE placed on the market before 24 September 2010
13(a)	White glasses used for optical application	Applies to all categories; expires on: 21 July 2023 for category 8 in vitro diagnostic medical devices; 21 July 2024 for category 9 industrial monitoring and control instruments and for category 11; 21 July 2021 for all other categories and subcategories
13(b)	Filter glasses and glasses used for reflectance standards	Applies to categories 8, 9 and 11; expires on: 21 July 2023 for category 8 in vitro diagnostic medical devices; 21 July 2024 for category 9 industrial monitoring and control instruments and for category 11; 21 July 2021 for other subcategories of categories 8 and 9
13(b)-I	Ion coloured optical filter glass types	Applies to categories 1 to 7 and 10; expires on 21 July 2021 for categories 1 to 7 and 10
13(b)-II	Striking optical filter glass types; excluding applications falling under point 39 of this Annex	Applies to categories 1 to 7 and 10; expires on 21 July 2021 for categories 1 to 7 and 10
13(b)-III	Glazes used for reflectance standards	Applies to categories 1 to 7 and 10; expires on 21 July 2021 for categories 1 to 7 and 10
14	Solders consisting of more than two elements for the connection between the pins and the package of microprocessors with a lead content of more than 80 % and less than 85 % by weight	Expired on 1 January 2011 and after that date may be used in spare parts for EEE placed on the market before 1 January 2011
15	Lead in solders to complete a viable electrical connection between semiconductor die and carrier within integrated circuit flip chip packages	Applies to categories 8, 9 and 11 and expires on: —21 July 2021 for categories 8 and 9 other than in vitro diagnostic medical devices and industrial monitoring and control instruments; —21 July 2023 for category 8 in vitro diagnostic medical devices; —21 July 2024 for category 9 industrial

Any use for advertising purposes must be granted in writing. This technical report may only be quoted in full. This report is the result of a single examination of the object in question and is not generally applicable evaluation of the quality of other products in regular production. For further details, please see testing and certification regulation, chapter A-3.4.

Disclaimer Measurement Uncertainty:

Unless otherwise agreed upon, Pass or Fail verdicts are given base on the measured values without any considerations of measurement uncertainties. Please note, every test method has a measurement uncertainty which has been evaluated by the laboratory according to ISO/IEC 17025 requirements. By taking measurement uncertainties into account it might happen that measured values can neither be assessed as Pass nor as Fail.

Exemption		Scope and dates of applicability
		monitoring and control instruments, and for category 11.
15(a)	Lead in solders to complete a viable electrical connection between the semiconductor die and carrier within integrated circuit flip chip packages where at least one of the following criteria applies: —a semiconductor technology node of 90 nm or larger; —a single die of 300 mm ² or larger in any semiconductor technology node; —stacked die packages with die of 300 mm ² or larger, or silicon interposers of 300 mm ² or larger.	Applies to categories 1 to 7 and 10 and expires on 21 July 2021.
16	Linear incandescent lamps with silicate coated tubes	Expires on 1 September 2013
17	Lead halide as Radiant agent in high intensity discharge (HID) lamps used for professional reprography applications	-
18(a)	Lead as activator in the fluorescent powder (1 % lead by weight or less) of discharge lamps when used as speciality lamps for diazoprinting reprography, lithography, insect traps, photochemical and curing processes containing phosphors such as SMS ((Sr,Ba) ₂ MgSi ₂ O ₇ :Pb)	Expired on 1 January 2011
18(b)	Lead as activator in the fluorescent powder (1 % lead by weight or less) of discharge lamps when used as sun tanning lamps containing phosphors such as BSP (BaSi ₂ O ₅ :Pb)	expires on: —21 July 2021 for categories 1-7 and 10; —21 July 2021 for categories 8 and 9 other than in vitro diagnostic medical devices and industrial monitoring and control instruments; —21 July 2023 for category 8 in vitro diagnostic medical devices; —21 July 2024 for category 9 industrial monitoring and control instruments, and for category 11.
18(b)-I	Lead as activator in the fluorescent powder (1 % lead by weight or less) of discharge lamps containing phosphors such as BSP (BaSi ₂ O ₅ :Pb) when used in medical phototherapy equipment	Applies to categories 5 and 8, excluding applications covered by entry 34 of Annex IV, and expires on 21 July 2021.
19	Lead with PbBiSn-Hg and PbInSn-Hg in specific compositions as main amalgam and with PbSn-Hg as auxiliary amalgam in very compact energy saving lamps (ESL)	Expires on 1 June 2011
20	Lead oxide in glass used for bonding front and rear substrates of flat fluorescent lamps used for Liquid Crystal Displays (LCDs)	Expires on 1 June 2011
21	Lead and cadmium in printing inks for the application of enamels on glasses, such as borosilicate and soda lime glasses	Applies to categories 8, 9 and 11 and expires on: —21 July 2021 for categories 8 and 9 other than in vitro diagnostic medical devices and industrial monitoring and control instruments; —21 July 2023 for category 8 in vitro diagnostic medical devices; —21 July 2024 for category 9 industrial

Any use for advertising purposes must be granted in writing. This technical report may only be quoted in full. This report is the result of a single examination of the object in question and is not generally applicable evaluation of the quality of other products in regular production. For further details, please see testing and certification regulation, chapter A-3.4.

Disclaimer Measurement Uncertainty:

Unless otherwise agreed upon, Pass or Fail verdicts are given base on the measured values without any considerations of measurement uncertainties. Please note, every test method has a measurement uncertainty which has been evaluated by the laboratory according to ISO/IEC 17025 requirements. By taking measurement uncertainties into account it might happen that measured values can neither be assessed as Pass nor as Fail.

TÜV SÜD Certification and Testing (China) Co., Ltd.
10 Huaxia Road(M), Dongting, Wuxi
Jiangsu, 214100, P. R. China

Shanghai Chemical Lab
No.1999 Duhui Road
Shanghai City

Tel.: +86-510-88203737
Fax: +86-510-88203636
www.tuv-sud.cn
info@tuv-sud.cn

Tel.: +86-21-60376368

Exemption		Scope and dates of applicability
		monitoring and control instruments, and for category 11.
21(a)	Cadmium when used in colour printed glass to provide filtering functions, used as a component in lighting applications installed in displays and control panels of EEE	Applies to categories 1 to 7 and 10 except applications covered by entry 21(b) or entry 39 and expires on 21 July 2021.
21(b)	Cadmium in printing inks for the application of enamels on glasses, such as borosilicate and soda lime glasses	Applies to categories 1 to 7 and 10 except applications covered by entry 21(a) or 39 and expires on 21 July 2021.
21(c)	Lead in printing inks for the application of enamels on other than borosilicate glasses	Applies to categories 1 to 7 and 10 and expires on 21 July 2021.'
23	Finishes of fine pitch components other than connectors with a pitch of 0.65 mm and less	May be used in spare parts for EEE placed on the market before 24 September 2010
24	Solders for the soldering to machined through hole discoidal and planar array ceramic multilayer capacitors	Expires on: —21 July 2021 for categories 1-7 and 10, —21 July 2021 for categories 8 and 9 other than in vitro diagnostic medical devices and industrial monitoring and control instruments, —21 July 2023 for category 8 in vitro diagnostic medical devices, —21 July 2024 for category 9 industrial monitoring and control instruments, and for category 11.
25	Lead oxide in surface conduction electron emitter displays (SED) used in structural elements, notably in the seal frit and frit ring	-
26	Lead oxide in glass envelope of black light blue lamps	Expires on 1 June 2011
27	Lead alloys as solder for transducers used in high-powered (designated to operate for several hours at acoustic power levels of 125 dB SPL and above) loudspeakers	Expired on 24 September 2010
29	Lead bound in crystal glass as defined in Annex I (Categories 1, 2, 3 and 4) of Council Directive 69/493/EEC	Expires on: —21 July 2021 for categories 1-7 and 10; —21 July 2021 for categories 8 and 9 other than in vitro diagnostic medical devices and industrial monitoring and control instruments; —21 July 2023 for category 8 in vitro diagnostic medical devices; —21 July 2024 for category 9 industrial monitoring and control instruments, and for category 11.
30	Cadmium alloys as electrical/mechanical solder joints to electrical conductors located directly on the voice coil in transducers used in high-powered loudspeakers with sound pressure levels of 100 dB (A) and more	-
31	Soldering materials in mercury free flat fluorescent lamps (which, e.g. are used for liquid crystal displays, design or industrial lighting)	-
32	Lead oxide in seal frit used for making window assemblies for Argon and Krypton laser tubes	Expires on: —21 July 2021 for categories 1-7 and 10,

Any use for advertising purposes must be granted in writing. This technical report may only be quoted in full. This report is the result of a single examination of the object in question and is not generally applicable evaluation of the quality of other products in regular production. For further details, please see testing and certification regulation, chapter A-3.4.

Disclaimer Measurement Uncertainty:

Unless otherwise agreed upon, Pass or Fail verdicts are given base on the measured values without any considerations of measurement uncertainties. Please note, every test method has a measurement uncertainty which has been evaluated by the laboratory according to ISO/IEC 17025 requirements. By taking measurement uncertainties into account it might happen that measured values can neither be assessed as Pass nor as Fail.

Exemption		Scope and dates of applicability
		—21 July 2021 for categories 8 and 9 other than in vitro diagnostic medical devices and industrial monitoring and control instruments, —21 July 2023 for category 8 in vitro diagnostic medical devices, —21 July 2024 for category 9 industrial monitoring and control instruments, and for category 11.
33	Solders for the soldering of thin copper wires of 100 µm diameter and less in power transformers	-
34	Cermet-based trimmer potentiometer elements	Expires on: —21 July 2021 for categories 1-7 and 10; —21 July 2021 for categories 8 and 9 other than in vitro diagnostic medical devices and industrial monitoring and control instruments; —21 July 2023 for category 8 in vitro diagnostic medical devices; —21 July 2024 for category 9 industrial monitoring and control instruments, and for category 11.
36	Cathode sputtering inhibitor in DC plasma displays with a content up to 30 mg per display	Expired on 1 July 2010
37	Plating layer of high voltage diodes on the basis of a zinc borate glass body	Expires on: —21 July 2021 for categories 1-7 and 10; —21 July 2021 for categories 8 and 9 other than in vitro diagnostic medical devices and industrial monitoring and control instruments; —21 July 2023 for category 8 in vitro diagnostic medical devices; —21 July 2024 for category 9 industrial monitoring and control instruments, and for category 11.
38	Cadmium and cadmium oxide in thick film pastes used on aluminium bonded beryllium oxide	-
39(a)	Cadmium selenide in downshifting cadmium-based semiconductor nanocrystal quantum dots for use in display lighting applications (< 0.2 µg Cd per mm ² of display screen area)	Expires for all categories on 31 October 2019
40	Photoresistors for analogue optocouplers applied in professional audio equipment	Expires on 31 December 2013
41	Lead in solders and termination finishes of electrical and electronic components and finishes of printed circuit boards used in ignition modules and other electrical and electronic engine control systems, which for technical reasons must be mounted directly on or in the crankcase or cylinder of hand-held combustion engines (classes SH:1, SH:2, SH:3 of Directive 97/68/EC of the European Parliament and of the Council (*1))	Applies to all categories and expires on: —31 March 2022 for categories 1 to 7, 10 and 11; —21 July 2021 for categories 8 and 9 other than in vitro diagnostic medical devices and industrial monitoring and control instruments; --21 July 2023 for category 8 in vitro

Any use for advertising purposes must be granted in writing. This technical report may only be quoted in full. This report is the result of a single examination of the object in question and is not generally applicable evaluation of the quality of other products in regular production. For further details, please see testing and certification regulation, chapter A-3.4.

Disclaimer Measurement Uncertainty:

Unless otherwise agreed upon, Pass or Fail verdicts are given base on the measured values without any considerations of measurement uncertainties. Please note, every test method has a measurement uncertainty which has been evaluated by the laboratory according to ISO/IEC 17025 requirements. By taking measurement uncertainties into account it might happen that measured values can neither be assessed as Pass nor as Fail.



Exemption		Scope and dates of applicability
		diagnostic medical devices; —21 July 2024 for category 9 industrial monitoring and control instruments.
42	Lead in bearings and bushes of diesel or gaseous fuel powered internal combustion engines applied in non-road professional use equipment: —with engine total displacement \geq 15 litres; or —with engine total displacement < 15 litres and the engine is designed to operate in applications where the time between signal to start and full load is required to be less than 10 seconds; or regular maintenance is typically performed in a harsh and dirty outdoor environment, such as mining, construction, and agriculture applications.	Applies to category 11, excluding applications covered by entry 6(c) of this Annex. Expires on 21 July 2024.'
43	Bis(2-ethylhexyl) phthalate in rubber components in engine systems, designed for use in equipment that is not intended solely for consumer use and provided that no plasticised material comes into contact with human mucous membranes or into prolonged contact with human skin and the concentration value of bis(2-ethylhexyl) phthalate does not exceed: (a) 30 % by weight of the rubber for (i) gasket coatings; (ii) solid-rubber gaskets; or (iii) rubber components included in assemblies of at least three components using electrical, mechanical or hydraulic energy to do work, and attached to the engine. (b) 10 % by weight of the rubber for rubber-containing components not referred to in point (a). For the purposes of this entry, "prolonged contact with human skin" means continuous contact of more than 10 minutes duration or intermittent contact over a period of 30 minutes, per day.	Applies to category 11 and expires on 21 July 2024.
44	Lead in solder of sensors, actuators, and engine control units of combustion engines within the scope of Regulation (EU) 2016/1628 of the European Parliament and of the Council (*1), installed in equipment used at fixed positions while in operation which is designed for professionals, but also used by non-professional users	Applies to category 11 and expires on 21 July 2024.

--END OF REPORT--

Any use for advertising purposes must be granted in writing. This technical report may only be quoted in full. This report is the result of a single examination of the object in question and is not generally applicable evaluation of the quality of other products in regular production. For further details, please see testing and certification regulation, chapter A-3.4.

Disclaimer Measurement Uncertainty:

Unless otherwise agreed upon, Pass or Fail verdicts are given base on the measured values without any considerations of measurement uncertainties. Please note, every test method has a measurement uncertainty which has been evaluated by the laboratory according to ISO/IEC 17025 requirements. By taking measurement uncertainties into account it might happen that measured values can neither be assessed as Pass nor as Fail.

TÜV SÜD Certification and Testing (China) Co., Ltd.
10 Huaxia Road(M), Dongting, Wuxi
Jiangsu, 214100, P. R. China

Shanghai Chemical Lab
No.1999 Duhui Road
Shanghai City

Tel.: +86-510-88203737
Fax: +86-510-88203636
www.tuv-sud.cn
info@tuv-sud.cn

Tel.: +86-21-60376368